

Date

Name

Client

Project name



Quote#

Type/Quantity

Specification Sheet

XY180 S121 MINI 422 142 93

[Weblink](#)



Available colors: BLACK (422 142 93 B)

ADJUSTABLE 0-120°/360°
INCL. 1 x LED WHITE 4,1W / CRI>80 / 3000K / 420lm
INCL. 1 x LENS FL-20°
INCL. LEDFLEX 8,9W / CRI>90 / 3000K / 1050lm
INCL. LED POWER SUPPLY 350mA-DC
CABLING 1 CIRCUIT

LED Technics: Light source: 1470 lm // 13 W // 113 lm/W
Luminaire: 1230 lm // 15 W // 82 lm/W

220-240V / 0|50-60Hz

Class: I

Weight: 1.4 KG
Protection level: IP20
Minimum distance: n.a.

Remarks: [Look at the XY180 brochure](#)


Options: XY180 CONNECTION BOX
COVERSET R 90-100

For detailed installation instructions, please consult the manual. [422_142_XX_HAND.pdf](#)

XY180 S121 MINI
422 142 93


Related references
COVERSETS

[Weblink / Specs sheet](#)



COVERSET R 100
204 00 100


[Weblink / Specs sheet](#)



COVERSET R 90
204 00 90

Related references
OTHER

[Weblink / Specs sheet](#)



XY180 CONNECTION BOX
422 99 01

XY180 S121 MINI
422 142 93

Related project picture of product family:

